



Risorse Ovid[®] per la ricerca bibliografica biomedica

Enrico Pardini – Customer Success Specialist

25 gennaio 2023



Wolters Kluwer

Piattaforma Ovid®: che cos'è?

- Ovid ha sviluppato una tecnologia di ricerca leader del settore e potenti strumenti di produttività per aiutare gli utenti a risparmiare tempo nella ricerca in modo che possano concentrarsi sui risultati e sul loro lavoro.
- Disponibile con la sua interfaccia utente multilingue (anche in italiano), Ovid offre funzioni particolarmente adatte agli usi dei bibliotecari e dei ricercatori più esigenti.
- Fornisce risultati precisi attraverso migliaia di risorse tra database bibliografici e testo completo su un'unica piattaforma.
- ➔ ▪ Ricerche simultanee attraverso il vostro full text Ovid e le risorse bibliografiche in un'unica richiesta
- Più di 100 banche dati bibliografiche nelle scienze tecniche, ambientali, mediche, biomediche, chimiche e fisiche, tra cui:
 - Biosis, Embase, Derwent, Medline, Cochrane EBMR
 - Current Contents, Inspec, Econlit, Geobase, Georef
 - PsycInfo, PsycArticles, PsycBooks
 - Biological Abstracts, CAB Abstracts & Global Health, Zoological Records
- Più di 1.200 riviste fra le più prestigiose, che coprono più di 30 specialità scientifiche. Sotto forma di abbonamento e senza embargo o acquisto perpetuo per gli archivi
- Oltre 8.000 e-book riconosciuti editi dalle case editrici più prestigiose.
- Il nostro catalogo completo è disponibile online dall'url: <http://www.ovid.com>

Ovid® MEDLINE: che cos'è?

- Creato e mantenuto da NLM (Biblioteca nazionale di medicina degli Stati Uniti)
 - MEDLINE® copre la letteratura internazionale sulle scienze biomediche, comprese la salute e le scienze fisiche correlate, le scienze umane e le scienze dell'informazione, nonché la medicina e l'assistenza sanitaria.
 - Database bibliografico completo contenente più di **34 milioni di record** (principalmente citazioni di riviste) e **aggiornato quotidianamente (esclusi i weekend)**
- Contenuto principale
 - Citazioni da oltre 5.200 riviste internazionali in oltre 40 lingue
 - Per le citazioni pubblicate dopo il 2010: il 40% è pubblicato negli Stati Uniti; Il 93% è pubblicato in inglese; L'85% dispone di sintesi in inglese
 - Elenco riviste: https://www.nlm.nih.gov/bsd/serfile_addedinfo.html
 - Include MEDLINE®, Epub Ahead of Print, Citazioni in corso e non indicizzate e Versioni®
 - Indicizzato con oltre 26.000 titoli di soggetti medici (MeSH) e 79 sottotitoli per descrivere aspetti specifici del termine MeSH.

MeSH subheadings: <https://www.nlm.nih.gov/mesh/topscope.html>
- ➔ ▪ Utilizzando Medline sulla piattaforma Ovid, gli utenti potranno usufruire di strumenti avanzati per la ricerca bibliografica, fra cui:
 - Ricerca Base con Linguaggio Naturale
 - Area di lavoro riservata per salvare le proprie ricerche e creare alert
 - Ricerca simultanea su più database
 - Accesso al testo completo dei periodici in abbonamento o open access

Ovid[®] MEDLINE: una pagina informativa dedicata



Ovid MEDLINE[®] offers many advanced search options and hidden treasures. Check out this page!

The following are highlights of the implementation, features and functionality of MEDLINE on Ovid that offer major value and advantages to research institutions and their users. In many instances these values are unique to Ovid.

Content Equivalency with PubMed

Phrase Search and Adjacency

Advanced Search - Truncation and Wildcards

Advanced Search - Selection of some Narrower Terms of Subject Headings

Subheadings

Advanced Search - OR operator

Advanced Search - Range Searching

Options with set numbers, Adding, editing multiple subheadings, Search in only the ABSTRACT field

Search several Databases

Video Tutorials



What is Ovid?



Basic Search



Advanced Search



La domanda clinica


1. What evidence shows that *Helicobacter pylori* infection causes gastric cancer in elderly patients and what are the treatment options?
2. Quali evidenze dimostrano che l'infezione da *Helicobacter pylori* provoca il cancro gastrico nei pazienti anziani e quali sono le opzioni terapeutiche?



**Gastrointestinal bleeding/PubChem Synonyms*

Components of a PICO question

- Clinical Question: In patients with atrial fibrillation is dabigatran more effective than warfarin in reducing bleeding? [P + I + C + O]



- Note: Not every clinical question uses all the PICO components.
- Is paracetamol effective for headaches in children? [only P + I]

Esempio di ricerca PICO #1

P: Paziente, Popolazione, Problema o malattia
chi sono i pazienti, qual è il problema

atrial fibrillation

I: Intervento o problema
tipo di intervento, a cosa sono esposti

vitamin C

C: Confronto sul tipo di intervento
con cosa confrontiamo l'intervento

magnesium

O: Outcome - Risultato
cosa succede, qual è il risultato

prevention

Cerca

Esempio di ricerca PICO #2

P: Paziente, Popolazione, Problema o malattia
chi sono i pazienti, qual è il problema

SEPSIS

I: Intervento o problema
tipo di intervento, a cosa sono esposti

PROADRENOMEDULLIN

C: Confronto sul tipo di intervento
con cosa confrontiamo l'intervento

PROCALCITONIN

O: Outcome - Risultato
cosa succede, qual è il risultato

DIAGNOSIS

Cerca

Term Finder

Build comprehensive expert searches using Ovid Term Finder

Ovid *Term Finder* is designed to give searchers easy access to relevant definitions, MeSH terms, and keywords as they construct their Ovid searches' strategies, directly from Ovid search interface.

Key features in Term Finder include:

- Mapped MeSH Results
- Interactive MeSH browser
- Definitions from Stedman's Medical Dictionary
- Results from MeSH Permuted Index
- Related Terms from the *Unified Medical Language System (UMLS)*
- Add to search functionality

Term Finder

Send Us Your Feedback

hypertension

Ovid®

My Account

Search Journals Books Multimedia My Workspace Links EBP Tools What's New

Search History (0)

Basic Search | Find Citation | Search Tools | Search Fields | **Advanced Search** | Multi-Field Search

1 Resource selected | [Hide](#) | [Change](#)

Ovid MEDLINE(R) 1946 to April Week 2 2021

Enter keyword or phrase
(* or \$ for truncation)

Keyword Author Title Journal

(((exp * Hypertension/ OR Hypertension.mp)) OR (blood pressure, high.mp OR high blood pressure.mp)) AND Hypertension/bl.co.di.db.de.dt.mo.pd.tb) OR (Hypertensive disease.mp OR "Hypertension with complications and secondary hypertension".mp OR Essential Hypertension.mp OR Malignant Hypertension.mp OR Hypertension worsened.mp OR Hypertensive heart disease.mp OR Secondary hypertension.mp)

Search

Expand Term Finder

Limits (expand)

Include Multimedia

Map Term to Subject Heading

English Français Italiano Deutsch 日本語 繁體中文 Español 简体中文 한국어

© 2021 Ovid Technologies, Inc. All rights reserved. OvidUI_04.13.01.009. SourceID 6aef2075fe6bdc296933c7e89a7e3b60ebc6eccc

[MeSH Tree](#) [Used For Terms](#) [Scope Note](#) [Subheadings](#)

Hypertension, Renal


- Scimitar Syndrome (848)
- Spinal Cord Vascular Diseases (176) ⊕
- Splenic Infarction (981)
- Stenosis, Pulmonary Vein (123)

New Ovid Journals Full Text Reading Experience

- New Journals Reading experience improves accessibility to Ovid content,
- Provides a modernised user-friendly interface and new features and tools for further enhance users' research

- Key functionality includes:

- *Journal Browse Enhancement.*
- *Responsive Design.*
- *Related Articles.*
- *Searching Functionality.*



Journals

Full-featured View

Enter journal title or ISSN

Subscribed
 Contains Open Access
 Open Access
 Currently Published

[All](#)
[A](#)
[B](#)
[C](#)
[D](#)
[E](#)
[F](#)
[G](#)
[H](#)
[I](#)
[J](#)
[K](#)
[L](#)
[M](#)
[N](#)
[O](#)
[P](#)
[Q](#)
[R](#)
[S](#)
[T](#)
[U](#)
[V](#)
[W](#)
[X](#)
[Y](#)
[Z](#)
[0-9](#)

Showing 3327 result.



A&A Case Reports

SUBSCRIBED CONTAINS OPEN ACCESS

ISSN: 2575-3126
Full Text Coverage: 2018 - 2013
Publication Dates: 2018 - 2013



A&A Practice

SUBSCRIBED AHEAD OF PRINT CONTAINS OPEN ACCESS

ISSN: 2575-3126
Full Text Coverage: 2020 - 2018
Publication Dates: 2020 - 2018



AACN Advanced Critical Care

SUBSCRIBED AHEAD OF PRINT

ISSN: 1559-7768
Full Text Coverage: 2020 - 2006
Publication Dates: 2020 - 2006



AACN Bold Voices

SUBSCRIBED

ISSN: 1948-7088
Full Text Coverage: 2020 - 2005
Publication Dates: 2020 - 2005



AACN Clinical Issues

SUBSCRIBED

ISSN: 1079-0713
Full Text Coverage: 2006 - 1993
Publication Dates: 2006 - 1993



AADE in Practice

SUBSCRIBED

ISSN: 2325-1603
Full Text Coverage: 2019 - 2013
Publication Dates: 2019 - 2013

AAOHN Journal

AAPS PharmSciTech

Abdominal Imaging

feedback

< April 2021, Volume 121 (4)



AJN, American Journal of Nursing

April 2021, Volume 121(4), p 48

Copyright © 2021 Wolters Kluwer Health, Inc. All rights reserved.

doi: 10.1097/01.NAJ.0000742520.09475.37

ISSN: 0002-936X

[About the Journal](#)JOURNAL WATCH SUBSCRIBED[Full-featured View](#)

N95 Masks Offer Best Protection Against Viral Respiratory Infections in the Hospital

Rosenberg, Karen

[Article](#)[PDF](#)[Complete Reference](#)

study population included primary care patients age 65 or older who had evidence of multimorbidity and an indication of cognitive or physical impairment or frailty. The researchers created an integrated advance care planning EHR interface to allow primary care professionals to document advance care planning in a standardized manner. A total of 759 participants were randomized to the nurse navigator-led intervention or usual care.

Documented advance care planning within the EHR—the primary outcomes—occurred in 42.2% of patients in the nurse navigator group compared with 3.7% in the usual care group. Those in the nurse navigator group were also more likely to name a designated surrogate decision maker, complete a medical orders for scope of treatment form, and have an advance directive, living will, or power of attorney. In addition, billing codes for advance care planning visits were used more often in the nurse navigator group. During follow-up, the number of ED visits and inpatient hospitalizations wasn't significantly different between the two groups.

Implementation of the study intervention would be more difficult

transmission of viral respiratory infectious diseases like COVID-19 in the hospital setting are based on limited evidence. In a network meta-analysis, researchers compared the protective effect of three types of respiratory PPE: N95 respirators, cloth masks, and surgical masks. They also compared continuous wearing (throughout a shift) with targeted wearing (only when performing high-risk procedures).

Six cluster randomized clinical trials with 12,265 health care workers were included in the analysis. As measured by the incidence of laboratory-confirmed viral respiratory infection, continuous wearing of an N95 respirator provided significantly better protection, compared with the control group. In terms of reducing the incidence of clinical respiratory illness, no intervention was significantly superior to the control group, although continuous wearing of an N95 respirator again scored highest. Surgical masks need to be replaced frequently and cloth masks provide only marginal protection.

The authors point out that because few studies about respiratory PPE have been published

the transmission of cervical tumors from the mothers.

A 23-month-old boy, who had been delivered vaginally after his mother tested negative for cervical cancer, presented with a productive cough. A computed tomographic scan showed multiple masses along the bronchi in both lungs. A lung biopsy revealed neuroendocrine carcinoma of the lung. The lesions progressed one year after diagnosis. Although some lesions had spontaneously regressed, tumor masses were seen in both lungs, and chemotherapy was administered. Some tumors shrank, but others progressed. Comparison of the gene profiles in samples of tumor and normal tissue showed that the child's tumor was due to transmission of the mother's tumor and contained genes that weren't in the child's germline genome. A pathological complete response was indicated after 14 cycles of nivolumab and a lobectomy. The child had no evidence of disease recurrence 12 months after lobectomy.

The second patient, a six-year-old boy, had also been delivered vaginally. He presented

Related articles

Does wearing masks offer protection against viruses?

The Veterinary Record 2020; 187(3): 119. Letter

N95 Respirators vs Medical Masks in Outpatient Settings—Reply

JAMA 2020; 323(8): 789–790. Letter

N95 Respirators vs Medical Masks in Outpatient Settings

JAMA 2020; 323(8): 789. Letter

Best Alternative Respirators and Face Masks

AJN, American Journal of Nursing 2020; 120(12): 70.

Miscellaneous

The Role of Face Protection for Respiratory Viral Infections: A Historical Perspective

Journal of the Pediatric Infectious Diseases Society 2020; 9(4): 411–412. Editorial

Search Sharing

- These features help Ovid researchers seamlessly share search strategies with colleagues and peers, allowing the recipient to rerun the search with one click
- New buttons in the Search History Panel would allow users to: *Email All Search History*, *Copy Search History Link*, and *Copy Search History Details*

The screenshot displays the 'Search History' panel with five search entries. Each entry includes a checkbox, a search number, the search query, the number of results, the search type, and available actions. At the bottom, there are buttons for 'Save All', 'Edit', 'Create RSS', and 'View Saved'. A separate box contains three new sharing options: 'Email All Search History', 'Copy Search History Link', and 'Copy Search History Details'.

#	Searches	Results	Type	Actions	Annotations
2	(2019-ncov or nCoV19 or nCoV-19 or 2019-novel CoV or sars-cov2 or sars-cov-2 or sarscov2 or sarscov-2 or Sars-coronavirus2 or Sars-coronavirus-2 or coronavirus-19 or covid19 or covid-19 or covid 2019 or "novel coronavirus" or "new coronavirus" or "nouveau coronavirus" or CoV or nCoV or covid or covid19 or covid-19 or "coronavirus 2" or ((novel or new or nouveau) adj1 (CoV or nCoV or covid or coronavirus* or "corona virus" or Pandemi*2)) or ((covid or covid19 or covid-19) and pandemic*2)) mp. [mp=title, abstract, full text, caption text]	44357	Advanced	Display Results More ▾	Expand
3	(COVID-19 or "severe acute respiratory syndrome 2" or 2019 pandemic or 2020 pandemic) mp. or SARS-like coronavirus*.tl.ab.ct.	35098	Advanced	Display Results More ▾	
4	or/1-3	44662	Advanced	Display Results More ▾	
5	limit 4 to yr="2020 -Current"	37034	Advanced	Display Results More ▾	

Combine with: [] []

Save All Edit Create RSS View Saved

Email All Search History Copy Search History Link Copy Search History Details

Search Sharing

Key functionality includes:

- **Email All Search History:** Allows you to send your current search history to another user via email. The email includes the search strategy with line numbers and number of results, the database segment(s), the date the search was executed, the link to run the search, and a message from the sender.
- **Copy Search History Link:** Copies search history link to your clipboard. The recipient must have access to the database the search was created in to rerun the search.
- **Copy Search History Details:** Copies the search strategy, line numbers, number of results per line, and database segment(s) to your clipboard.

Search Sharing

Please, check this search strategy and let me know what you think

*Untitled - Notepad

File Edit Format View Help

Journals@Ovid Full Text <March 12, 2021>

```
1      (((pneumonia or covid* or coronavirus* or corona virus* or ncov* or 2019-ncov or sars*) adj5
Wuhan) or (SARS coronavirus* and Wuhan)).mp.      3756
2      (2019-ncov or ncov19 or ncov-19 or 2019-novel CoV or sars-cov2 or sars-cov-2 or sarscov2 or
sarscov-2 or Sars-coronavirus2 or Sars-coronavirus-2 or coronavirus-19 or covid19 or covid-19 or covid
2019 or "novel coronavirus" or "new coronavirus" or "nouveau coronavirus" or CoV or nCoV or covid or
covid19 or covid-19 or "coronavirus 2" or ((novel or new or nouveau) adj1 (CoV or nCoV or covid or
coronavirus* or "corona virus" or Pandemi*2)) or ((covid or covid19 or covid-19) and pandemic*2)).mp.
[mp=title, abstract, full text, caption text]      44357
3      (COVID-19 or "severe acute respiratory syndrome 2" or 2019 pandemic or 2020 pandemic).mp. or
SARS-like coronavirus*.ti,ab,ct.      35098
4      or/1-3      44662
5      limit 4 to yr="2020 -Current"      37034
```

```
(2019-ncov or ncov19 or ncov-19 or 2019-novel CoV or sars-cov2 or sars-cov-2 or sarscov2 or sarscov-2 or Sars-coronavirus2 or Sars-coronavirus-2 or coronavirus-19 or covid19 or covid-19 or covid-19 or "coronavirus 2" or ((novel or new or nouveau) adj1 (CoV or nCoV or covid or coronavirus* or "corona virus" or Pandemi*2)) or ((covid or covid19 or covid-19) and pandemic*2)).mp. (COVID-19 or "severe acute respiratory syndrome 2" or 2019 pandemic or 2020 pandemic).mp. or SARS-like coronavirus*.ti,ab,ct. or/1-3 limit 4 to yr="2020 -Current"
```

<https://ovidsp.ovid.com/ovidweb.cgi?T=JS&NEWS=N&PAGE=main&SHAREDSEARCHID=3Bu4LMJEthdnkLsAcfSqRUHjQzuFEiFZyrA3tzfPUaX50XqzOwTAjXIDrwnJ3MdOW>

My WorkSpace

The screenshot shows the Ovid My Workspace interface. At the top, there is a navigation bar with the Ovid logo, user account information (logged in as Mauro Castillo), and various utility links. Below this is a secondary navigation bar with tabs for Search, Journals, Books, Multimedia, My Workspace (selected), Links, EBP Tools, and What's New. A feedback button is visible on the right side of this bar.

The main content area displays search statistics: TEMPORARY SEARCHES (1), PERMANENT SEARCHES (9), AUTOALERT (SDI) SEARCHES (5), and EXPERT SEARCHES (3). There are controls for 'Run', 'Copy', and 'Delete' actions. A 'Favorites Only' checkbox is also present.

The 'Temporary Searches' section contains one entry: 'COVID', which is 'Temporary (72 hours)'. It includes a 'View strategy' link and icons for favorite, email, and edit.

The 'Permanent Searches' section contains three entries:

- 'Adverse Effects - MEDLINE' with the description 'Adverse Effects filer for pharma research or prescription analysis'.
- 'Atherosclerosis'.
- 'Childhood Obesity'.

 Each permanent search entry includes a 'View strategy' link and icons for favorite, email, and edit.

- Improve Saving all your

Key func

- Easier
- My Fc
- View
- Quick

ures:
able to

TEMPORARY SEARCHES 1 | PERMANENT SEARCHES 9 | AUTOALERT (SDI) SEARCHES 5 | EXPERT SEARCHES 3 Favorites Only

 Run  Copy  Delete

Temporary Searches 1

Expert Searches 3

Covid-19 Vaccine on EMBASE
[View strategy](#)

Expert Search



Hospital Guidelines on Cardiac Rehabilitation
[View strategy](#)

Expert Search



Hospital Guidelines on COVID prevention for Hospital staff
Best Practice on Covid prevention while working with patients with Covid
[View strategy](#)

Expert Search



[View strategy](#)



- # ▲ Search
- 14 (toxicit
- 15 exp Pc
- 16 exp Int
- 17 or/1-16

Save Cancel

Save All Edit

Save your Search or create an Alert

Search name
Adverse Effects Filter on MEDLINE

Comment Optional
Use this filter to limit results to MEDLINE records on Adverse Effects, reactions, toxicity, etc...

- Type
- Select an existing
 - Temporary (72 hours)
 - Permanent
 - AutoAlert (SDI)
 - Expert Search
 - My Projects

Use Alert under 'Type' and click 'Save & Configure'.

Cancel Save & Configure Save

Existing Saved Searches

Temporary Searches 1

COVID

Temporary (72 hours)

My Workspace - coming soon!

The screenshot displays a web interface for 'My Workspace'. On the left is a sidebar with navigation options: 'My Projects', 'Saved Searches and Alerts', and 'My eTocs'. Under 'Saved Searches and Alerts', there are several categories with checkboxes: Favorites, AutoAlert (SDI) Searches (checked), Expert Searches, Permanent Searches (checked), Temporary, Show All, Covid 19, Chemotherapy, Skin Cancer (checked), and Womens Health (checked). There is also an option to 'Add a new category' and a note 'End of table of contents'.

The main content area is titled 'Saved Searches and Alerts'. It features a toolbar with 'Run', 'Copy', and 'Delete' buttons, a 'Sort by ...' dropdown menu, and a search box labeled 'Search all saved'. Below this are three search results:

- Melanoma, with a really long title to see how this will flow**
Ovid MEDLINE(R) ALL 1946 to August 04, 2020
28 Aug 2020 Modified
02 Aug 2019 Created
SKIN CANCER
Review ▶
Search For Malka
A number of rare mutations, which often run in families, greatly increase melanoma susceptibility. Several genes increase risks. Some rare genes have a relatively high risk of causing melanoma; some more common genes have a relatively lower elevated risk.
- Semi Complex**
Embase 1974 to 2020 August 05
22 Jun 2018 Created
ALERT: ON DATABASE UPDATE
Review ▶
Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nam nunc lacus, fringilla et suscipit ut, varius eget justo.
Proin tempor pulvinar gravida. Quisque mollis arcu non velit mollis aliquet. In sodales adipiscing mauris elementum vulputate. Mauris magna libero, vestibulum vel luctus eget, adipiscing sit amet quam.
- Endometriosis**
BIOSIS Previews 1990 to 2019
15 Mar 2018 Created
WOMENS HEALTH
Click edit to add a note

Esempio di ricerca su Ovid Medline

Ecografia polmonare in pazienti pediatrici con COVID-19

▼ Search History (16)			
# ▲	Searches	Results	Type
1	Lung ultrasound in pediatric patients with COVID-19 (Including Related Terms)	10014	Basic
2	limit 1 to five stars	24	Advanced
3	limit 2 to (case reports or clinical study or clinical trial, all)	5	Advanced
4	limit 2 to "systematic review"	1	Advanced
5	exp Child/ or exp Adolescent/ or exp Child, Preschool/	3267351	Advanced
6	exp Lung/ or exp Lung Diseases/	1276186	Advanced
7	exp Ultrasonography/	474675	Advanced
8	5 and 6 and 7	2655	Advanced
9	limit 8 to covid-19	102	Advanced
10	limit 9 to "systematic review"	5	Advanced
11	(child or children).mp.	2536855	Advanced
12	(lung or lungs or (disease, lung or disease, pulmonary or diseases, lung or diseases, pulmonary or lung disease or lung diseases or pulmonary disease or pulmonary diseases)).mp.	993731	Advanced
13	(computer echotomography or diagnoses, ultrasonic or diagnosis, ultrasonic or diagnostic ultrasound or diagnostic ultrasounds or echography or echotomography or echotomography, computer or imaging, ultrasonic or imaging, ultrasonographic or imaging, ultrasound or imagings, ultrasonographic or imagings, ultrasound or medical sonography or sonography, medical or tomography, ultrasonic or ultrasonic diagnoses or ultrasonic diagnosis or ultrasonic imaging or ultrasonic tomography or ultrasonographic imaging or ultrasonographic imagings or ultrasonography or ultrasound, diagnostic or ultrasound imaging or ultrasounds, diagnostic).mp.	360541	Advanced
14	(2019 novel coronavirus disease or 2019 novel coronavirus infection or 2019 ncov disease or 2019 ncov infection or 2019-ncov disease or 2019-ncov diseases or 2019-ncov infection or 2019-ncov infections or covid 19 or covid 19 pandemic or covid 19 virus disease or covid 19 virus infection or covid-19 or covid-19 pandemic or covid-19 pandemics or covid-19 virus disease or covid-19 virus diseases or covid-19 virus infection or covid-19 virus infections or covid19 or coronavirus disease 19 or coronavirus disease 2019 or coronavirus disease-19 or disease 2019, coronavirus or disease, 2019-ncov or disease, covid-19 virus or infection, 2019-ncov or infection, covid-19 virus or infection, sars-cov-2 or pandemic, covid-19 or sars cov 2 infection or sars coronavirus 2 infection or sars-cov-2 infection or sars-cov-2 infections or severe acute respiratory syndrome coronavirus 2 infection or virus disease, covid-19 or virus infection, covid-19).mp.	250036	Advanced
15	12 and 13 and 14	478	Advanced
16	limit 15 to "systematic review"	12	Advanced

RICERCA BASE CON "LINGUAGGIO NATURALE"

RICERCA AVANZATA CON THESAURUS MeSH

RICERCA AVANZATA CON OVID TERM FINDER

Esempio di ricerca su Ovid Medline

Paracetamolo in confronto a ibuprofene per il trattamento del PDA nei neonati pretermine

▼ Cronologia di Ricerca (16)				
<input type="checkbox"/>	# ▲	Ricerche	Risultati	Tipo
<input type="checkbox"/>	1	Paracetamol compared with ibuprofen for the treatment of PDA in preterm infants {Inclusi Termini Correlati}	10008	Ricerca Base
<input type="checkbox"/>	2	limit 1 to five stars	50	Avanzata
<input type="checkbox"/>	3	limit 2 to "systematic review"	7	Avanzata
<input type="checkbox"/>	4	("103-90-2 (acetaminophen)" or 36209itt9d or apap or acamol or acephen or acetaco or acetamidophenol or acetaminophen or acetaminophen or algotropyi or anacin 3 or anacin-3 or anacin3 or datril or hydroxyacetanilide or "n-(4-hydroxyphenyl)acetanilide" or n-acetyl-p-aminophenol or panadol or paracetamol or tylenol or p-acetamidophenol or p-hydroxyacetanilide).mp.	31578	Avanzata
<input type="checkbox"/>	5	("15687-27-1 (ibuprofen)" or "31121-93-4 (na salt)" or "51146-56-6 ((s)-isomer)" or "51146-57-7 ((r)-isomer)" or "58560-75-1 ((+)-isomer)" or "63649-75-2 (ca salt)" or "63649-77-4 (mg salt)" or "63649-78-5 (al salt)" or "66840-44-6 (cu(2+) salt)" or "78416-80-5 (zn salt)" or "79261-49-7 (k salt)" or brufen or ibumetin or ibuprofen or "ibuprofen, (+)-isomer" or "ibuprofen, (r)-isomer" or "ibuprofen, (s)-isomer" or ibuprofen, aluminum salt or ibuprofen, calcium salt or "ibuprofen, copper (2+) salt" or ibuprofen, magnesium salt or ibuprofen, potassium salt or ibuprofen, sodium salt or ibuprofen zinc or ibuprofen, zinc salt or ibuprofen-zinc or motrin or nuprin or rufen or salprofen or trauma dolgit gel or trauma-dolgit gel or wk2xyi10qm or "alpha-methyl-4-(2-methylpropyl)benzeneacetic acid").mp.	16299	Avanzata
<input type="checkbox"/>	6	(ductus arteriosus, patent or "patency of the ductus arteriosus" or patent ductus arteriosus or patent ductus arteriosus familial).mp.	13001	Avanzata
<input type="checkbox"/>	7	(infant, premature or infant, preterm or infants, premature or infants, preterm or neonatal prematurity or premature infant or premature infants or prematurity, neonatal or preterm infant or preterm infants).mp.	85240	Avanzata
<input type="checkbox"/>	8	4 and 5 and 6 and 7	89	Avanzata
<input type="checkbox"/>	9	limit 8 to "therapy (maximizes sensitivity)"	73	Avanzata
<input type="checkbox"/>	10	limit 9 to "systematic review"	12	Avanzata
<input type="checkbox"/>	11	exp Acetaminophen/	19321	Avanzata
<input type="checkbox"/>	12	exp Ibuprofen/	9431	Avanzata
<input type="checkbox"/>	13	exp Ductus Arteriosus, Patent/dt, pc, th [Drug Therapy, Prevention & Control, Therapy]	2416	Avanzata
<input type="checkbox"/>	14	11 and 12 and 13	53	Avanzata
<input type="checkbox"/>	15	limit 14 to "all infant (birth to 23 months)"	51	Avanzata
<input type="checkbox"/>	16	limit 15 to "systematic review"	6	Avanzata

RICERCA BASE CON "LINGUAGGIO NATURALE"

RICERCA AVANZATA CON OVID TERM FINDER

RICERCA AVANZATA CON THESAURUS MeSH

Esempio di ricerca sulla piattaforma Ovid


Prevenzione dell'embolia polmonare nelle donne incinte

▼ Historique des recherches (13)

<input type="checkbox"/>	# ▲ Recherches	Résultats	Type
<input type="checkbox"/>	1 prevention of pulmonary embolism in pregnant women {Inclusion des termes associés}	11358	Libre
<input type="checkbox"/>	2 limit 1 to five stars	198	Classique
<input type="checkbox"/>	3 pulmonary embolism.m_titl.	19579	Classique
<input type="checkbox"/>	4 pulmonary embolism.mp. [mp=title, abstract, heading word, drug trade name, original title, device manufacturer, drug manufacturer, device trade name, keyword, floating subheading word, candidate term word]	54788	Classique
<input type="checkbox"/>	5 exp lung embolism/	95196	Classique
<input type="checkbox"/>	6 exp lung embolism/pc [Prevention]	5753	Classique
<input type="checkbox"/>	7 ("chronic lung embolism" or "embolism,lung" or "lung embolization" or "lung embolus" or "lung embolus recurrence" or "lung emboly" or "lung microembolism" or "lung microembolization" or "lung microembolus" or "lung thromboembolism" or "microembolus,lung" or "pulmonary embolism" or "pulmonary embolization" or "pulmonary embolus" or "pulmonary microembolism" or "pulmonary thromboembolic disease" or "pulmonary thromboembolism" or "thromboembolism,lung" or "lung embolism").mp.	104826	Classique
<input type="checkbox"/>	8 limit 7 to pregnancy - wide	6030	Classique
<input type="checkbox"/>	9 exp pregnant woman/	86835	Classique
<input type="checkbox"/>	10 pregnant wom*n.mp. [mp=title, abstract, heading word, drug trade name, original title, device manufacturer, drug manufacturer, device trade name, keyword, floating subheading word, candidate term word]	159280	Classique
<input type="checkbox"/>	11 6 and 9	28	Classique
<input type="checkbox"/>	12 7 and 10	1106	Classique
<input type="checkbox"/>	13 limit 12 to "systematic review"	45	Classique

Come accedere a Ovid®

ovidsp.ovid.com



Ovid Login

User ID:

Password:

Ovid MEDLINE®: Main Search Screen



Ovid® Wolters Kluwer

My Account Admin Tools JBI Admin My PayPerView Ask A Librarian Support & Training Help Feedback Logoff

Search Journals Books Multimedia My Workspace Links ▾ OvidMD EBP Tools ▾

▶ Search History (0) View Saved ⋮

Basic Search | Find Citation | Search Tools | Search Fields | Advanced Search | Multi-Field Search

1 Resource selected | [Hide](#) | [Change](#)

Ovid MEDLINE(R) ALL 1946 to August 17, 2018

Search

▼ **Limits** (close) Include Multimedia Include Related Terms

<input type="checkbox"/> Abstracts	<input type="checkbox"/> Structured Abstracts	<input type="checkbox"/> English Language
<input type="checkbox"/> Evidence Based Medicine Reviews	<input type="checkbox"/> Article Reviews (ACP Journal Club)	<input type="checkbox"/> Full Text
<input type="checkbox"/> Review Articles	<input type="checkbox"/> Article Reviews (DARE)	<input type="checkbox"/> Humans
<input type="checkbox"/> Topic Reviews (Cochrane)	<input type="checkbox"/> Core Clinical Journals (AIM)	<input type="checkbox"/> Latest Update
<input type="checkbox"/> Pharmacologic Actions		

Publication Year - -

English Français Italiano Deutsch 日本語 繁體中文 Español 简体中文 한국어

Ovid MEDLINE®: Basic Search Mode

Ovid®

Wolters Kluwer

My Account Admin Tools JBI Admin My PayPerView Ask A Librarian Support & Training Help Feedback Logoff

Search Journals Books Multimedia My Workspace Links OvidMD EBP Tools

Search History (0) View Saved

Basic Search | Find Citation | Search Tools | Search Fields | Advanced Search | Multi-Field Search

1 Resource selected | [Hide](#) | [Change](#)

Ovid MEDLINE(R) ALL 1946 to September 17, 2018


treatment of adhd with methylphenidate Search

Limits (expand) Include Multimedia Include Related Terms

English Français Italiano Deutsch 日本語 繁體中文 Español 简体中文 한국어

Search Example: Treatment of ADHD with Methylphenidate

Ovid MEDLINE®: Search History



The screenshot shows the Ovid MEDLINE user interface. At the top left is the Ovid logo. To the right are navigation links: My Account, Admin Tools, JBI Admin, My PayPerView, Ask A Librarian, Support & Training, Help, Feedback, and Logoff. Below this is a blue navigation bar with buttons for Search, Journals, Books, Multimedia, My Workspace, Links, OvidMD, and EBP Tools. A red box highlights the 'Search History (1)' dropdown menu. Below it is a table with the following data:

<input type="checkbox"/>	# ▲	Searches	Results	Type	Actions	Annotations
<input type="checkbox"/>	1	treatment of adhd with methylphenidate {Including Related Terms}	10153	Basic	Display Results More ▾	

Below the table is a 'Combine with:' section with two input fields. At the bottom are buttons for 'Save All', 'Edit', 'Create RSS', and 'View Saved'. A red arrow points to the first search entry in the table.

Ovid MEDLINE®: Search Results Display

Related Terms/Thesaurus

The screenshot displays the Ovid MEDLINE search results interface. On the left, the 'Search Information' panel shows the search query: 'treatment of adhd with methylphenidate (Including Related Terms)'. Below this, the 'Search terms used' list includes: treatment, therapeutic aspects, disease management (Tree), therapy, therapeutic procedure, therapeutic interventions, therapies, treatments, remedy, relief, amelioration, alleviation, remedies, therapeutic, relieve, ameliorate, alleviate, relieving, alleviating, alleviated, and ameliorated. A red arrow points from this list to the search results. The main results area shows a single result with a 5-star rating (*****), titled 'Effects of Group Psychotherapy, Individual Counseling, Methylphenidate, and Placebo in the Treatment of Adult Attention-Deficit/Hyperactivity Disorder: A Randomized Clinical Trial.[Erratum appears in JAMA Psychiatry. 2016 Jan;73(1):90; PMID: 26747290]'. The authors listed are Philipsen A, Jans T, Graf E, Matthies S, Borel P, Colla M, Gentschow L, Langner D, Jacob C, Gros-Lesch S, Sobanski E, Alm B, Schumacher-Stien M, Roesler M, Retz W, Retz-Junginger P, Kis B, Abdel-Hamid M, Heinrich V, Huss M, Kornmann C, Burger A, Perlov E, Ihorst G, Schlander M, Berger M, Tebartz van Elst L, Comparison of Methylphenidate and Psychotherapy in Adult ADHD Study (COMPAS) Consortium. The result is available in Ovid Full Text, Abstract Reference, Complete Reference, and Document Delivery. On the right, there is a section for 'OPEN ACCESS RESULTS' with two articles: 'Omega-3 and Zinc supplementation as complementary therapies in children with attention-deficit/hyperactivity disorder' and 'The effect of adding ferrous sulfate to methylphenidate on attention-deficit/hyperactivity disorder in children'.

Ovid MEDLINE®: Search Results Display

Related Terms/Thesaurus

The screenshot displays the Ovid MEDLINE search results interface. On the left, the 'Search Information' sidebar shows the search terms used: 'treatment of adhd with methylphenidate (Including Related Terms)'. The main search results area shows a single result for 'Effects of Group Psychotherapy, Individual Counseling, Methylphenidate, and Placebo in the Treatment of Adult Attention-Deficit/Hyperactivity Disorder: A Randomized Clinical Trial'. The result includes the journal name 'JAMA Psychiatry', volume and issue information, and a list of authors. A red dashed box highlights the 'Range' button in the search controls. A red solid box highlights the 'Ovid Full Text' and 'Find Similar' options for the selected result. On the right, a red solid box highlights the 'OPEN ACCESS RESULTS' section, which lists related terms such as 'Omega-3 and Zinc supplementation as complementary therapies in children with attention-deficit/hyperactivity disorder' and 'The effect of adding ferrous sulfate to methylphenidate on attention-deficit/hyperactivity disorder in children'.

Search Information

You searched:
treatment of adhd with methylphenidate (Including Related Terms)

Search terms used:
treatment
therapeutic aspects
▼ disease management
Tree
therapy
therapeutic procedure
therapeutic interventions
therapies
treatments
remedy
relief
amelioration
alleviation
remedies
therapeutic
relieve
ameliorate
alleviate
relieving
alleviating
alleviated
ameliorated

Options

Print Email Export + My Projects Keep Selected

All Range Clear [Range button highlighted] 5 Per Page 1 Go Next

1. **Effects of Group Psychotherapy, Individual Counseling, Methylphenidate, and Placebo in the Treatment of Adult Attention-Deficit/Hyperactivity Disorder: A Randomized Clinical Trial.**[Erratum appears in *JAMA Psychiatry*. 2016 Jan;73(1):90; PMID: 26747290]

Philipsen A; Jans T; Graf E; Matthies S; Borel P; Colla M; Gentschow L; Langner D; Jacob C; Gros-Lesch S; Sobanski E; Alm B; Schumacher-Stien M; Roesler M; Retz W; Retz-Junginger P; Kis B; Abdel-Hamid M; Heinrich V; Huss M; Kornmann C; Burger A; Perlov E; Ihorst G; Schlander M; Berger M; Tebartz van Elst L; Comparison of **Methylphenidate** and Psychotherapy in Adult **ADHD** Study (COMPAS) Consortium.
JAMA Psychiatry. 72(12):1199-210, 2015 Dec.
[Journal Article, Multicenter Study, Randomized Controlled Trial, Research Support, Non-U.S. Gov't]
UI: 26536057

Authors Full Name
Philipsen, Alexandra; Jans, Thomas; Graf, Erika; Matthies, Swantje; Borel, Patricia; Colla, Michael; Gentschow, Laura; Langner, Daina; Jacob, Christian; Gros-Lesch, Silke; Sobanski, Esther; Alm, Barbara; Schumacher-Stien, Martina; Roesler, Michael; Retz, Wolfgang; Retz-Junginger, Petra; Kis, Bernhard; Abdel-Hamid, Mona; Heinrich, Viola; Huss, Michael; Kornmann, Catherine; Burger, Arne; Perlov, Evgeniy; Ihorst, Gabriele; Schlander, Michael; Berger, Mathias; Tebartz van Elst, Ludger; Comparison of **Methylphenidate** and Psychotherapy in Adult **ADHD** Study (COMPAS) Consortium.

Abstract Article as PDF (777KB) + My Projects + Annotate

Ovid Full Text
Abstract Reference
Complete Reference
Find Similar
Find Citing Articles
Document Delivery

OPEN ACCESS RESULTS

Omega-3 and Zinc supplementation as complementary therapies in children with attention-deficit/hyperactivity disorder
Salehi, Bahman Mohammadbeigi, Abolfazl Sheykhholeslam, Hamid Moshiri, Esmail Dorreh, Fatemeh

The effect of adding ferrous sulfate to methylphenidate on attention-deficit/hyperactivity disorder in children
Panahandeh, Gholamreza Vatani, Bahareh Safavi, Parvin Khoshdel, Abolfazl

Comparison of the effects of methylphenidate and the combination of methylphenidate and risperidone in preschool children with attention-deficit hyper....

Ovid MEDLINE®: Complete Reference

Relevance: ★★★★★

Unique Identifier: 26536057

Title: Effects of Group Psychotherapy, Individual Counseling, **Methylphenidate**, and Placebo in the **Treatment** of Adult Attention-Deficit **Hyperactivity Disorder**: A Randomized Clinical Trial.[Erratum appears in JAMA Psychiatry. 2016 Jan;73(1):90; PMID: 26747290]

Source: JAMA Psychiatry. 72(12):1199-210, 2015

Abbreviated Source: JAMA Psychiatry. 72(12):1199-210, 2015

Version ID: 1

Abstract: **IMPORTANCE:** Attention-deficit **hyperactivity disorder (ADHD)** is a neurodevelopmental **disorder** with high prevalence in adulthood. There is a recognized need to assess the efficacy of psychotherapy in adult **ADHD**.


MeSH Subject Headings:

[Adolescent](#)
[Adult](#)
[Attention Deficit Disorder with Hyperactivity / dt \[Drug Therapy\]](#)
[*Attention Deficit Disorder with Hyperactivity / px \[Psychology\]](#)
[*Attention Deficit Disorder with Hyperactivity / th \[Therapy\]](#)
[*Central Nervous System Stimulants / tu \[Therapeutic Use\]](#)
[*Cognitive Therapy](#)
[Combined Modality Therapy](#)
[*Counseling](#)
[Double-Blind Method](#)
[Female](#)
[Humans](#)
[Male](#)
[*Methylphenidate / tu \[Therapeutic Use\]](#)
[Middle Aged](#)
[*Psychotherapy, Group](#)
[Young Adult](#)

*

ate the efficacy of cognitive behavioral group psychotherapy (GPT) and individual clinical **management (CM)** and that of **methylphenidate** compared with placebo.

AND PARTICIPANTS: Prospective, multicenter, randomized clinical trial of 100 old outpatients with **ADHD** from 7 German study centers. Patients were enrolled between January 2007 and August 2010, **treatment** was finalized in March 2011, and all follow-up assessments occurred in March 2013.



Ovid MEDLINE®: Limiting Search Results

▼ Search History (1) View Saved

# ▲	Searches	Results	Type	Actions	Annotations
1	treatment of adhd with methylphenidate {Including Related Terms}	10153	Basic	Display Results More ▾	

Combine with:

Basic Search | [Find Citation](#) | [Search Tools](#) | [Search Fields](#) | [Advanced Search](#) | [Multi-Field Search](#)

1 Resource selected | [Hide](#) | [Change](#)

Ovid MEDLINE(R) ALL 1946 to September 17, 2018

▼ **Limits** (close) Include Multimedia Include Related Terms

<input type="checkbox"/> Abstracts	<input type="checkbox"/> Structured Abstracts	<input type="checkbox"/> English Language
<input type="checkbox"/> Evidence Based Medicine Reviews	<input type="checkbox"/> Article Reviews (ACP Journal Club)	<input type="checkbox"/> Full Text
<input type="checkbox"/> Review Articles	<input type="checkbox"/> Article Reviews (DARE)	<input type="checkbox"/> Humans
<input type="checkbox"/> Topic Reviews (Cochrane)	<input type="checkbox"/> Core Clinical Journals (AIM)	<input type="checkbox"/> Latest Update
<input type="checkbox"/> Pharmacologic Actions		

Publication Year - -

Ovid MEDLINE®: Limiting Search Results

1 treatment of adhd with methylphenidate {Including Related Terms} 10153 Basic

Limits

- Age Groups**
 - All Infant (birth to 23 months)
 - All Child (0 to 18 years)
 - All Adult (19 plus years)
 - Newborn Infant (birth to 1 month)
 - Infant (1 to 23 months)
- Animal Types**
 - Cats
 - Cattle
 - Chick Embryo
 - Dogs
 - Goats
- CheckTags**
 - Age
 - Animals
 - Female
 - Humans
 - Male
- Clinical Queries**
 - Reviews (maximizes sensitivity)
 - Reviews (maximizes specificity)
 - Reviews (best balance of sensitivity and specificity)
 - Therapy (maximizes sensitivity)
 - Therapy (maximizes specificity)
- Subject Subsets**
 - AIDS
 - Bioethics
 - Cancer
 - Complementary Medicine
 - Developmental and Reproductive Toxicology
- Year Published**
 - Last Year
 - Last 2 Years
 - Last 3 Years
 - Last 4 Years
 - Last 5 Years
- Journal Subsets**
 - AIDS/HIV Journals
 - Core Clinical Journals (AIM)
 - Bioethics Journals
 - Biotechnology Journals
 - Communication Disorders Journals
- Languages**
 - Afrikaans
 - Albanian
 - Arabic
 - Armenian
 - Azerbaijani
- Publication Types**
 - Adaptive Clinical Trial
 - Addresses
 - Autobiography
 - Bibliography
 - Biography
- Status**
 - In Data Review
 - In Process
 - MEDLINE
 - Publisher
 - PubMed Not MEDLINE
- Star Ranking**
 - ***** Five Stars (9165)
 - **** Four Stars (0)
 - *** Three Stars (0)
 - ** Two Stars (0)
 - * One Star (0)

Limit A Search

Ovid MEDLINE®: Limiting Search Results


The screenshot displays the Ovid MEDLINE interface. At the top, the Ovid logo is on the left, and the Wolters Kluwer logo is on the right. A navigation bar contains links for My Account, Admin Tools, JBI Admin, My PayPerView, Ask A Librarian, Support & Training, Help, Feedback, and Logoff. Below this is a blue navigation bar with buttons for Search, Journals, Books, Multimedia, My Workspace, Links, OvidMD, and EBP Tools. The main content area shows a 'Search History (5)' section with a 'View Saved' link. A table lists five searches with columns for checkboxes, search numbers, search terms, results counts, types, actions, and annotations. The fifth search, 'limit 4 to last 3 years', is highlighted in blue and has its result count '111' circled in red. A red dashed box highlights the 'Display Results' link for the first search, with a red dotted arrow pointing to the '111' result count. A red bracket is on the left side of the table rows. Below the table is a 'Combine with:' section with two dropdown menus. At the bottom, there are buttons for 'Save All', 'Edit', 'Create RSS', and 'View Saved'.

<input type="checkbox"/>	# ▲	Searches	Results	Type	Actions	Annotations
<input type="checkbox"/>	2	limit 1 to five stars	3053	Advanced	Display Results More ▼	Expand
<input type="checkbox"/>	3	limit 2 to ("preschool child (2 to 5 years)" or "child (6 to 12 years)" or "adolescent (13 to 18 years)")	1737	Advanced	Display Results More ▼	
<input type="checkbox"/>	4	limit 3 to "therapy (best balance of sensitivity and specificity)"	634	Advanced	Display Results More ▼	
<input type="checkbox"/>	5	limit 4 to last 3 years	111	Advanced	Display Results More ▼	

Combine with:

[Save All](#) [Edit](#) [Create RSS](#) [View Saved](#)

Ovid MEDLINE®: Outputting Search Results

②     

All Range    5 Per Page

① 1 *****

Effects of Group Psychotherapy, Individual Counseling, Methylphenidate, and Placebo in the Treatment of Adult Attention-Deficit/Hyperactivity Disorder: A Randomized Clinical Trial.
[Erratum appears in JAMA Psychiatry. 2016 Jan;73(1):90; PMID: 26747290]

Philipsen A; Jans T; Graf E; Matthies S; Borel P; Colla M; Gentschow L; Langner D; Jacob C; Gros-Lesch S; Sobanski E; Alm B; Schumacher-Stien M; Roesler M; Retz W; Retz-Junginger P; Kis B; Abdel-Hamid M; Heinrich V; Huss M; Kornmann C; Burger A; Perlov E; Ihorst G; Schlander M; Berger M; Tebartz van Elst L; Comparison of Methylphenidate and Psychotherapy in Adult ADHD Study (COMPAS) Consortium.

JAMA Psychiatry. 72(12):1199-210, 2015 Dec.

[Journal Article. Multicenter Study. Randomized Controlled Trial. Research Support, Non-U.S. Gov't]

[Ovid Full Text](#)
[Abstract Reference](#)
[Complete Reference](#)

 [Find Similar](#)
 [Find Citing Articles](#)

[Document Delivery](#)

Ovid MEDLINE®: Outputting Search Results

Printing

Database(s): Ovid MEDLINE(R) ALL 1946 to September 17, 2018

Search Strategy:

#	Searches	Results
1	treatment of adhd with methylphenidate {Including Related Terms}	10153
2	limit 1 to five stars	3053
3	limit 2 to ("preschool child (2 to 5 years)" or "child (6 to 12 years)" or "adolescent (13 to 18 years)")	1737
4	limit 3 to "therapy (best balance of sensitivity and specificity)"	634
5	limit 4 to last 3 years	111

Print Citation List:

Selected Results: 1-111

Select Fields to Display

- Citation
- Citation, Abstract
- Citation, Abstract, Subject Headings
- Complete Reference
- Custom

Select Citation Style

Ovid Citation


- Ovid Labeled Citation
- AMA
- APA
- Chicago (Author,Date)
- Chicago (Humanities)
- MLA
- Vancouver
- Ovid Citation

Include

- Search History

Cancel

1. Effects of Group Psychotherapy, Individual Counseling, **Methylphenidate**, and Placebo in the Deficit/**Hyperactivity Disorder**: A Randomized Clinical Trial.[Erratum appears in JAMA Psych Philipsen A; Jans T; Graf E; Matthies S; Borel P; Colla M; Gentschow L; Langner D; Jacob C; Gros-Le Roesler M; Retz W; Retz-Junginger P; Kis B; Abdel-Hamid M; Heinrich V; Huss M; Kornmann C; Burg Tebartz van Elst L; Comparison of **Methylphenidate** and Psychotherapy in Adult **ADHD** Study (COMP JAMA Psychiatry. 72(12):1199-210, 2015 Dec. [Journal Article. Multicenter Study. Randomized Controlled Trial. Research Support, Non-U.S. Gov't]



Ovid MEDLINE®: Outputting Search Results

Emailing

Email Citation List: ✕

* Indicates required field

To *
abc@abc.com; 123@123.go.jp; xyz@xyz.ac.au

Subject *
Ovid Results

Message

Ovid Technologies, Inc. Email Service

Search for: limit 4 to last 3 years
Results: 5

Send citation list as an attachment

Selected Results: 1-5

▼ **Select Fields to Display**

- Citation
- Citation, Abstract
- Citation, Abstract, Subject Headings
- Complete Reference
- Custom

▼ **Select Citation Style**

Ovid Citation ▼

▼ **Include**

- Link to External Resolver
- URL
- Search History

Ovid MEDLINE®: Outputting Search Results

Saving

Export Citation(s)

Selected: 1
Total: 1

Format:
Microsoft Word

Fields:
Citation

Citation Style:
Ovid Citation

Include:
 Link to External Resolver
 URL
 Search History

Cancel **Export**

Microsoft Word
PDF
.txt
Excel Sheet
Citavi
EndNote
ProCite
Reference Manager
RefWorks
BRS/Tagged
Reprint/Medlars
RIS
XML

Citation
Citation, Abstract
Citation, Abstract, Subject Headings
Complete Reference
Custom

Ovid Labeled Citation
AMA
APA
Chicago (Author,Date)
Chicago (Humanities)
MLA
Vancouver
Ovid Citation

Ovid MEDLINE®: My Account

Ovid®

My Account Admin Tools JBI Admin My PayPerView Ask A Librarian

Search Journals Books Multimedia **My Workspace** Links OvidMD EBP Tools

▶ Search History (0)

Basic Search | Find Citation | Search Tools | Search Fields | Advanced Search | Multi-Field Search

1 Resource selected | [Hide](#) | [Change](#)

Ovid MEDLINE(R) ALL 1946 to September 17, 2018

Search

▼ **Limits** (close) Include Multimedia Include Related Terms

<input type="checkbox"/> Abstracts	<input type="checkbox"/> Structured Abstracts	<input type="checkbox"/> English Language
<input type="checkbox"/> Evidence Based Medicine Reviews	<input type="checkbox"/> Article Reviews (ACP Journal Club)	<input type="checkbox"/> Full Text
<input type="checkbox"/> Review Articles	<input type="checkbox"/> Article Reviews (DARE)	<input type="checkbox"/> Humans
<input type="checkbox"/> Topic Reviews (Cochrane)	<input type="checkbox"/> Core Clinical Journals (AIM)	<input type="checkbox"/> Latest Update
<input type="checkbox"/> Pharmacologic Actions		

Publication Year - -

Edit Limits

Ovid MEDLINE®: My Account

Ovid® Wolters Kluwer

My Account Admin Tools JBI Admin Ask A Librarian Help Feedback Logoff

Search Journals Books Multimedia **My Workspace** Links ▾ OvidMD EBP Tools ▾

My Projects | My Searches & Alerts | My eTocs

 You must login to a Personal Account to access this feature.



Personal Account Login

Personal Account Name:

Password:

[Login](#)

[Forgot Account Name or Password?](#)



Don't have an Account?

Use a Personal Account to save searches, create alerts and manage research.

[Create Account](#)

Ovid MEDLINE®: My Account

Create Personal Account

Personal Account Name:

Password:

Confirm Password:

Email Address:

First Name:

Last Name:

- Passwords are case-sensitive
- Must be 6 to 20 characters long
- Must only contain alphanumeric characters (a - z, A - Z, 0 - 9)
- No special characters

Create

Ovid MEDLINE®: My Projects

Ovid® Wolters Kluwer

[Ask a Librarian](#) |
 [Support & Training](#) |
 [Library/Institution Link](#) |
 [Help](#) |
 [Feedback](#) |
 Logged in as FirstName LastName at Organization |
 [Logoff](#)

[Search](#) |
 [Journals](#) |
 [Books](#) |
 [Multimedia](#) |
 [My Workspace](#) |
 [Links](#) |
 [OvidMD](#) |
 [EBP Tools](#)

[My Projects](#) |
 [My Searches & Alerts](#) |
 [My eTools](#)

All Projects

Manage Projects Actions

Name ▼	Items	Modified
📁 Osteoporosis (Gold)	9	2018-Mar-15
📁 LWW Univ.	2	2018-Aug-01
📁 + Head/Neck Trauma	15	2018-Jul-26
📁 From PI to EBMR	1	2018-Jun-22
📁 CRC - Neurology	3	2018-Feb-15

LWW Univ. (Edit | Delete)

0 Folder(s) 2 Item(s)

Select All

Sort By:
1

10 Per Page

1.

Accession Number	612284543	Abstract Reference	Complete Reference
Status	CONFERENCE ABSTRACT	Find Similar	Find Citing Articles
Author	Boriani G.; Ruff C.; Kuder J.; Shi M.; Lanz H.; Rutman H.; Mercuri M.; Antman E.; Braunwald E.; Giugliano R.P.	Full Text	Document Delivery
Institution	(Boriani) University of Modena and Reggio Emilia, Cardiology, Modena, Italy (Ruff, Kuder, Antman, Braunwald, Giugliano) Brigham and Women's Hospital, Harvard Medical School, Boston, United States (Shi, Lanz; Rutman, Mercuri) Daiichi Sankyo, Inc., Parsippany, United States	Internet Resources	

Archived Projects

Name ▲	Items	Modified

8.9 of 50MB Storage used

Trash

Empty Trash now

Messages that have been in Trash more than 30 days will be automatically deleted

📁 Deleted Folders	2018-Aug-01
📁 Deleted Items	2018-Aug-01

Ovid MEDLINE®: My Projects

Ovid® Wolters Kluwer

[Ask a Librarian](#) [Support & Training](#) [Library/Institution Link](#) [Help](#) [Feedback](#) Logged in as FirstName LastName at Organization [Logoff](#)

Search Journals Books Multimedia My Workspace Links OvidMD EBP Tools

▶ Search History (5) View Saved

Basic Search | [Find Citation](#) | [Search Tools](#) | [Search Fields](#) | [Advanced Search](#) | [Multi-Field Search](#)

1 Resource selected | [Hide](#) | [Change](#)

📌 PsycINFO 1806 to July Week 4 2018

📌

▶ Limits (expand) Include Multimedia Include Related Terms

Options [Print](#) [Email](#) [Export](#) [+ My Projects](#) [Keep Selected](#)

▼ My Projects All Range Clear 5 Per Page 1 Go Next

+ New Project

- Osteoporosis (Gold)
- LWW Univ.
- + Head/Neck Trauma
- From PI to EBMR
- CRC - Neurology

View All...

▼ Search Information [+ My Projects](#) [+ Annotate](#)

<input checked="" type="checkbox"/> 1.	Title Incidence and risk factors of acute akathisia in 493 individuals with first episode non-affective psychosis: A 6-week randomised study of antipsychotic treatment. [References].	Abstract Reference Complete Reference
Author	Juncal-Ruiz, Maria; Ramirez-Bonilla, Mariluz; Gomez-Amau, Jorge; Ortiz-Garcia de la Foz, Victor; Suarez-Pinilla, Paula; Martinez-Garcia, Obdulia; Neergaard, Karl David; Tabares-Seisdedos, Rafael; Crespo-Facorro, Benedicto.	Find Similar Find Citing Articles
		Document Delivery Internet Resources External Resolver

Ovid MEDLINE®: My Projects

Ovid® Wolters Kluwer

Ask a Librarian Support & Training Library/Institution Link Help Feedback Logged in as FirstName LastName at Organization Logoff

Search Journals Books Multimedia My Workspace Links OvidMD EBP Tools

Search History (5) View Saved

Basic Search | Find Citation | Search

1 Resource selected | Hide | Change

PsyclINFO 1806 to July Week 4 2018

Limits (expand) Include

Options

My Projects

- + New Project
- Osteoporosis (Gold)
- LWW Univ.
- + Head/Neck Trauma
- From PI to EBMR
- CRC - Neurology

View All...

Search Information

- + My Projects
- + Annotate

Add Item(s) to:

An Existing Project

LWW Univ.

A New Project

Project Name *

Project Description

Cancel Add Item(s)

Export + My Projects Keep Selected

1 Go Next

Abstract Reference Complete Reference

Find Similar Find Citing Articles

Document Delivery Internet Resources External Resolver

Author: Juncal-Ruiz, Maria; Ramirez-Bonilla, Mariluz; Gomez-Arnau, Jorge; Ortiz-Garcia de la Foz, Victor; Suarez-Pinilla, Paula; Martinez-Garcia, Obdulia; Neergaard, Karl David; Tabares-Seisdedos, Rafael; Crespo-Facorro, Benedicto.

Ovid MEDLINE®: Search Results Management

Ovid® Wolters Kluwer

[Ask a Librarian](#)
[Support & Training](#)
[Library/Institution Link](#)
[Help](#)
[Feedback](#)
Logged in as **FirstName LastName** at Organization
[Logout](#)

[Search](#)
[Journals](#)
[Books](#)
[Multimedia](#)
[My Workspace](#)
[Links](#)
[OvidMD](#)
[EBP Tools](#)

My Projects | My Searches & Alerts | My eToos

Manage Projects

Name ▲	Items	Mo
📁 CRC - Neurology	3	2018-Fe
📁 From PI to EBMR	1	2018-Ju
📁 Head/Neck Trauma	15	2018-Ju
📁 LWW Univ.	2	2018-Aug-01
📁 Osteoporosis (Gold)	9	2018-Mar-15

Archived Projects

Name ▲	Items	Modified
8.9 of 50MB Storage used		

Trash

Empty Trash now

Messages that have been in Trash more than 30 days will be automatically deleted

📁 Deleted Folders	2018-Aug-01
📁 Deleted Items	2018-Aug-01

LWW Univ. (Edit | Delete)

Order(s) 2 Item(s)

Sort By:

1

1.

Accession Number 612284543

Status CONFERENCE ABSTRACT

Author Boriani G.; Ruff C.; Kuder J.; Shi M.; Lanz H.; Rutman H.; Mercuri M.; Antman E.; Braunwald E.; Giugliano R.P.

Institution (Boriani) University of Modena and Reggio Emilia, Cardiology, Modena, Italy
 (Ruff, Kuder, Antman, Braunwald, Giugliano) Brigham and Women's Hospital, Harvard Medical School, Boston, United States
 (Shi, Lanz, Rutman, Mercuri) Daiichi Sankyo, Inc., Parsippany, United States

Ovid MEDLINE®: My Alerts

The screenshot displays the Ovid MEDLINE interface. At the top, the Ovid logo is on the left, and the Wolters Kluwer logo is on the right. Navigation links include 'Ask a Librarian', 'Support & Training', 'Library/Institution Link', 'Help', 'Feedback', and 'Logged in as FirstName LastName at Organization'. A blue navigation bar contains 'Search', 'Journals', 'Books', 'Multimedia', 'My Workspace', 'Links', 'OvidMD', and 'EBP Tools'. Below this is a 'Search History (5)' section with a 'View Saved' link. A table lists search entries with columns for checkboxes, search numbers, search terms, results counts, types, actions, and annotations. The fifth entry, 'limit 4 to last 3 years', is highlighted, and its 'More' dropdown menu is open, showing options: 'Save', 'Edit', 'Create Auto-Alert', 'Create RSS', and 'Remove'. A red arrow points to the 'Create Auto-Alert' option. Below the table are 'Combine with:' fields and buttons for 'Save All', 'Edit', 'Create RSS', and 'View Saved'.

<input type="checkbox"/>	# ▲	Searches	Results	Type	Actions	Annotations
<input type="checkbox"/>	2	limit 1 to five stars	3053	Advanced	Display Results More ▾	Expand
<input type="checkbox"/>	3	limit 2 to ("preschool child (2 to 5 years)" or "child (6 to 12 years)" or "adolescent (13 to 18 years)")	1737	Advanced	Display Results More ▾	
<input type="checkbox"/>	4	limit 3 to "therapy (best balance of sensitivity and specificity)"	634	Advanced	Display Results More ▾	
<input type="checkbox"/>	5	limit 4 to last 3 years	111	Advanced	Display Results More ▾	

Combine with:

Save All Edit Create RSS View Saved

- Save
- Edit
- Create Auto-Alert
- Create RSS
- Remove

Ovid MEDLINE®: My Alerts

Ovid® Wolters Kluwer

[Ask a Librarian](#) [Support & Training](#) [Library/Institution Link](#) [Help](#) [Feedback](#) Logged in as FirstName LastName at Organization [Logout](#)

Search Journals Books Multimedia My Workspace Links ▾

Search Name Comment (Optional) Type

AutoAlert Options

Scheduling Options **Deduping Options**

On Database Update[?]

Quarterly

Monthly - on day

Every other week - on

Weekly - on

Include Open Access Results

Delivery Options

Email

RSS

My Projects

Email Address & Subject

Separate multiple email addresses with commas. Do not use any spaces between the addresses.

Recipient's Email Address:

Email Subject:

Email Options **Output Type**

Inline

As an Attachment
(Ovid Result Format only)

HTML (Ovid Result Format only)

ASCII

EXCEL (Ovid Result Format only)

Ovid MEDLINE®: My Alerts (Email)

From: Ovid AutoAlert <autorun@ovid.com>
To:
Cc:
Subject: Ovid Results AutoAlert: SLE

Total documents retrieved: 6

Results Generated From:

Ovid MEDLINE(R) In-Process & Other Non-Indexed Citations and Ovid MEDLINE(R) <1946 to Present>
Ovid MEDLINE(R) Corrections (updates since 2015-09-08)
Ovid MEDLINE(R) In-Process & Other Non-Indexed Citations and Ovid MEDLINE(R) <1946 to Present>
Ovid MEDLINE(R) <2011 to September Week 1 2015> (updates since 2015-09-08)
Ovid MEDLINE(R) In-Process & Other Non-Indexed Citations and Ovid MEDLINE(R) <1946 to Present>
Ovid MEDLINE(R) In-Process & Other Non-Indexed Citations <September 09, 2015> (updates since 2015-09-08)
Deduplicated against past 120 days of results.

[Result Set](#)

Citation 1.

Unique Identifier
24774748

Record Owner
From MEDLINE, a database of the U.S. National Library of Medicine.

Status
MEDLINE

Authors
Bonelli M; Goschl L; Bluml S; Karonitsch T; Steiner CW; Steiner G; Smolen JS; Scheinecker C; .

Authors Full Name
Bonelli, Michael; Goschl, Lisa; Bluml, Stephan; Karonitsch, Thomas; Steiner, Carl-Walter; Steiner, Gunter; Smolen, Josef S; Scheinecker, Clemens; .

Title

Ovid MEDLINE®: My Alerts (Projects)

Manage Projects

Name	Items	Modified ▲
📁 CRC - Neurology	3	2018-Feb-15
📁 Osteoporosis (Gold)	9	2018-Mar-15
📁 From PI to EBMR	1	2018-Jun-22
📁 Head/Neck Trauma	15	2018-Jul-26
📁 Brain Concussio...	7	2018-Feb-09
📁 Brain Concussio...	6	2018-Feb-09
📁 Brain Concussio...	4	2018-Feb-09
📁 Brain Concussio...	7	2018-Feb-22
📁 Brain Concussio...	6	2018-Mar-01
📁 Brain Concussio...	21	2018-Mar-08
📁 Brain Concussio...	27	2018-Mar-15
📁 Brain Concussio...	6	2018-Mar-22
📁 Brain Concussio...	7	2018-Mar-29
📁 Brain Concussio...	10	2018-Apr-05
📁 Brain Concussio...	23	2018-Apr-13
📁 Brain Concussio...	13	2018-Apr-19
📁 Brain Concussio...	7	2018-Apr-26
📁 Brain Concussio...	9	2018-May-03
📁 Brain Concussio...	15	2018-May-11
📁 Brain Concussio...	11	2018-May-17
📁 Brain Concussio...	5	2018-May-24
📁 Brain Concussio...	3	2018-May-31
📁 Brain Concussio...	11	2018-Jun-04

Head/Neck Trauma (Edit | Delete)
Description: Effects of PCS.
26 Folder(s) 15 Item(s)

Select All Print Email Export Remove

Sort By: 12

1. Abstract Reference
Complete Reference

Unique Identifier 26033941

Title Individualised cognitive functional therapy compared with a combined exercise and pain education class for patients with non-specific chronic low back pain: study protocol for a multicentre randomised controlled trial. Find Similar
 Find Citing Articles

Source BMJ Open. 5(6):e007156, 2015 Jun 01. Full Text
Document Delivery
Internet Resources

Abbreviated Source BMJ Open. 5(6):e007156, 2015 Jun 01.

Version ID 1

Record Owner From MEDLINE, a database of the U.S. National Library of Medicine.

Ovid MEDLINE®: Advanced Search Mode

Ovid® Wolters Kluwer

My Account Admin Tools JBI Admin My PayPerView Ask A Librarian Support & Training Help Feedback Logoff

Search Journals Books Multimedia My Workspace Links OvidMD EBP Tools

▶ Search History (0) View Saved

Basic Search | Find Citation | Search Tools | Search Fields **Advanced Search** Multi-Field Search

1 Resource selected | [Hide](#) | [Change](#)

Ovid MEDLINE(R) ALL 1948 to September 17, 2018

Enter keyword or phrase (* or \$ for truncation) **Keyword** Author Title Journal

▶ **Limits** (close) Include Multimedia **Map Term to Subject Heading**

<input type="checkbox"/> Abstracts	<input type="checkbox"/> Structured Abstracts	<input type="checkbox"/> English Language
<input type="checkbox"/> Evidence Based Medicine Reviews	<input type="checkbox"/> Article Reviews (ACP Journal Club)	<input type="checkbox"/> Full Text
<input type="checkbox"/> Review Articles	<input type="checkbox"/> Article Reviews (DARE)	<input type="checkbox"/> Humans
<input type="checkbox"/> Topic Reviews (Cochrane)	<input type="checkbox"/> Core Clinical Journals (AIM)	<input type="checkbox"/> Latest Update
<input type="checkbox"/> Pharmacologic Actions		

Publication Year - -

Keyword Example: headache

Ovid MEDLINE®: Subject Heading Mapping

Ovid® Wolters Kluwer

My Account Admin Tools JBI Admin Ask A Librarian Support & Training Help Feedback Logoff

Search Journals Books Multimedia My Workspace Links ▾ OvidMD EBP Tools ▾

Your term mapped to the following Subject Headings:
Click on a subject heading to view more general and more specific terms within the tree.
Term mapped through permuted index

Include All Subheadings
Combine with:

Select	Subject Heading	Explode	Focus	Scope
<input type="checkbox"/>	CLUSTER HEADACHE	<input type="checkbox"/>	<input type="checkbox"/>	
<input checked="" type="checkbox"/>	HEADACHE	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	HEADACHE DISORDERS	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	HEADACHE DISORDERS, SECONDARY	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	POST-DURAL PUNCTURE HEADACHE	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	TENSION-TYPE HEADACHE	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	HEADACHE DISORDERS, PRIMARY	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	POST-TRAUMATIC HEADACHE	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	headache.mp. search as Keyword			

Ovid MEDLINE®: Subject Heading/Thesaurus

Tree for **Headache Disorders**

Database: **Ovid MEDLINE(R)**

Combine with:

Scroll down for highlighted search term.

Select Term(s)	Subject Heading	Hits	Explode	Focus	Scope Note
 [-] <input checked="" type="checkbox"/> Headache Disorders		2127	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
[-] <input type="checkbox"/> Headache Disorders, Primary		705	<input type="checkbox"/>	<input type="checkbox"/>	
[-] <input type="checkbox"/> Migraine Disorders		23391	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> Alice in Wonderland Syndrome		37	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> Migraine with Aura		1731	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> Migraine without Aura		708	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> Ophthalmoplegic Migraine		51	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> Tension-Type Headache		1846	<input type="checkbox"/>	<input type="checkbox"/>	
[-] <input type="checkbox"/> Trigeminal Autonomic Cephalalgias		169	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> Cluster Headache		2465	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> Paroxysmal Hemicrania		101	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> SUNCT Syndrome		133	<input type="checkbox"/>	<input type="checkbox"/>	
[-] <input type="checkbox"/> Headache Disorders, Secondary		519	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> Post-Dural Puncture Headache		502	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> Post-Traumatic Headache		307	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> Vascular Headaches		1300	<input type="checkbox"/>	<input type="checkbox"/>	

Ovid MEDLINE®: Advanced Search Types

The screenshot shows the Ovid MEDLINE interface with a search history table. The table has columns for checkboxes, search numbers, search terms, results, types, actions, and annotations. Three search entries are listed, with their search terms and result counts highlighted in red. The search terms are: 1. HEADACHE DISORDERS/, 2. exp HEADACHE DISORDERS/, and 3. *HEADACHE DISORDERS/. The result counts are 2127, 31728, and 1775 respectively. Below the table is a 'Combine with:' section and a row of buttons: Save All, Edit, Create RSS, and View Saved.

<input type="checkbox"/>	# ▲	Searches	Results	Type	Actions	Annotations
<input type="checkbox"/>	1	HEADACHE DISORDERS/	2127	Advanced	Display Results More ▾	
<input type="checkbox"/>	2	exp HEADACHE DISORDERS/	31728	Advanced	Display Results More ▾	
<input type="checkbox"/>	3	*HEADACHE DISORDERS/	1775	Advanced	Display Results More ▾	

Combine with:

Ovid MEDLINE®: Advanced Search Display

Options Print Email Export + My Projects Keep Selected  To search Open Access content on Ovid, go to [Basic Search](#).

All Clear 5 Per Page Go Next >

Search Information

You searched:
*HEADACHE DISORDERS/

Search terms used:
headache disorders

Search Returned:
1775 text results

Sort By:

[Customize Display](#)

Filter By

[Add to Search History](#)

Selected Only (0)

Years

[Current year](#)

[Past 3 years](#)

[Past 5 years](#)

[Specific Year Range](#)

[Subject](#)

[Author](#)

1. **Neuroimaging of headaches in patients with normal neurological examination: protocol for a systematic review. [Review]** Abstract Reference Complete Reference

Kenteu B; Fogang YF; Nyaga UF; Zafack JG; Noubiap JJ; Kamtchum-Tatuene J.

BMJ Open. 8(2):e020190, 2018 02 22.

[Journal Article. Review]

UI: 29472268

Authors Full Name
Kenteu, Bernold; Fogang, Yannick F; Nyaga, Ulrich Flore; Zafack, Joseline G; Noubiap, Jean Jacques; Kamtchum-Tatuene, Joseph.

[Find Similar](#)
[Find Citing Articles](#)

Full Text
Document Delivery

[Abstract](#) [+ My Projects](#) [+ Annotate](#)

2. **Rhinogenic Contact Point Headache: Surgical Treatment Versus Medical Treatment.** Ovid Full Text Abstract Reference Complete Reference

La Mantia I; Grillo C; Andaloro C.

Journal of Craniofacial Surgery. 29(3):e228-e230, 2018 May.

[Clinical Trial. Comparative Study. Journal Article]

UI: 29283946

Authors Full Name
La Mantia, Ignazio; Grillo, Calogero; Andaloro, Claudio.

[Find Similar](#)
[Find Citing Articles](#)

Document Delivery

[Abstract](#) [Article as PDF \(124KB\)](#) [+ My Projects](#) [+ Annotate](#)

Ovid MEDLINE®: Subheadings

Ovid® Wolters Kluwer

Search Tools My Account Admin Tools JBI Admin Ask A Librarian Support & Training Help Feedback Logoff

Search Journals Books Multimedia My Workspace Links OvidMD EBP Tools

Subheadings for: **exp HEADACHE DISORDERS**

Combine with: **OR** Continue

Include All Subheadings
– or choose one or more of these subheadings –

<input type="checkbox"/> /bl - Blood	<input type="checkbox"/> /hi - History
<input type="checkbox"/> /cf - Cerebrospinal Fluid	<input type="checkbox"/> /im - Immunology
<input type="checkbox"/> /ci - Chemically Induced	<input type="checkbox"/> /me - Metabolism
<input type="checkbox"/> /cl - Classification	<input type="checkbox"/> /mi - Microbiology
<input type="checkbox"/> /co - Complications	<input type="checkbox"/> /mo - Mortality
<input type="checkbox"/> /cn - Congenital	<input type="checkbox"/> /nu - Nursing
<input type="checkbox"/> /dj - Diagnosis	<input type="checkbox"/> /ps - Parasitology
<input type="checkbox"/> /dg - Diagnostic Imaging	<input type="checkbox"/> /pa - Pathology
<input checked="" type="checkbox"/> /dh - Diet Therapy	<input type="checkbox"/> /pp - Physiopathology
<input checked="" type="checkbox"/> /dt - Drug Therapy	<input checked="" type="checkbox"/> /pc - Prevention & Control
<input type="checkbox"/> /ec - Economics	<input type="checkbox"/> /px - Psychology
<input type="checkbox"/> /ep - Epidemiology	<input checked="" type="checkbox"/> /rh - Rehabilitation
<input type="checkbox"/> /eh - Ethnology	<input type="checkbox"/> /su - Surgery
<input type="checkbox"/> /et - Etiology	<input checked="" type="checkbox"/> /th - Therapy
<input type="checkbox"/> /ge - Genetics	<input type="checkbox"/> /vi - Virology

Ovid MEDLINE®: Combining Search Results

Ovid® Wolters Kluwer

[My Account](#) [Admin Tools](#) [JBI Admin](#) [My PayPerView](#) [Ask A Librarian](#) [Support & Training](#) [Help](#) [Feedback](#) [Logoff](#)

[Search](#) [Journals](#) [Books](#) [Multimedia](#) [My Workspace](#) [Links](#) [OvidMD](#) [EBP Tools](#)

▼ **Search History (5)** [View Saved](#)

<input type="checkbox"/>	# ▲	Searches	Results	Type	Actions	Annotations
<input type="checkbox"/>	1	exp HEADACHE DISORDERS/dh, dt, pc, rh, th [Diet Therapy, Drug Therapy, Prevention & Control, Rehabilitation, Therapy]	14286	Advanced	Display Results More ▼	Contract
<input type="checkbox"/>	2	exp HEADACHE/dh, dt, pc, rh, th [Diet Therapy, Drug Therapy, Prevention & Control, Rehabilitation, Therapy]	5976	Advanced	Display Results More ▼	
<input checked="" type="checkbox"/>	3	1 or 2	19216	Advanced	Display Results More ▼	
<input checked="" type="checkbox"/>	4	Acetaminophen/tu [Therapeutic Use]	3652	Advanced	Display Results More ▼	
<input type="checkbox"/>	5	3 and 4	231	Advanced	Display Results More ▼	

[Save](#) [Remove](#) Combine with: [AND](#) [OR](#)

[Save All](#) [Edit](#) [Create RSS](#) [View Saved](#)

Ovid MEDLINE®: Author Search

Ovid®

Wolters Kluwer

My Account Admin Tools JBI Admin My PayPerView Ask A Librarian Support & Training Help Feedback Logoff

Search Journals Books Multimedia My Workspace Links OvidMD EBP Tools

Search History (5) View Saved

Basic Search | Find Citation | Search Tools | Search Fields | **Advanced Search** | Multi-Field Search

1 Resource selected | Hide | Change

Ovid MEDLINE(R) ALL 1946 to September 17, 2018

Enter Author's last name, a space, and first initial if known

Keyword **Author** Title Journal

derry s

Search

Limits (expand) Include Multimedia Map Term to Subject Heading

Ovid MEDLINE®: Author Search

? Use the Back in Index and Forward in Index buttons to scroll through an index in which a term displays. To enter a new start term, type a term into the box and click the Go button.
To navigate to the top of a new index, click a number tab or letter tab.

SEARCH FOR SELECTED TERMS >>



Enter a new start term: GO

0 1 2 3 4 5 6 7 8 9 A B C **D** E F G H I J K L M N O P Q R S T U V W X Y Z

<< BACK IN INDEX FORWARD IN INDEX >>

<input checked="" type="checkbox"/> derry s.au. Postings: 246	<input type="checkbox"/> derryberry sl jr.au. Postings: 1	<input type="checkbox"/> dersch dm.au. Postings: 1
<input checked="" type="checkbox"/> derry sw.au. Postings: 2	<input type="checkbox"/> derryberry w.au. Postings: 1	<input type="checkbox"/> dersch dr.au. Postings: 2
<input type="checkbox"/> derry te.au. Postings: 7	<input type="checkbox"/> derryberry we.au. Postings: 1	<input type="checkbox"/> dersch e.au. Postings: 1
<input type="checkbox"/> derry tk.au. Postings: 1	<input type="checkbox"/> derryberry wp.au. Postings: 1	<input type="checkbox"/> dersch g.au. Postings: 4
<input type="checkbox"/> derry w.au. Postings: 3	<input type="checkbox"/> derryck a.au. Postings: 2	<input type="checkbox"/> dersch h.au. Postings: 3
<input type="checkbox"/> derry wb.au. Postings: 42	<input type="checkbox"/> dersakissian h.au. Postings: 1	<input type="checkbox"/> dersch j.au. Postings: 1
<input type="checkbox"/> derry wt.au. Postings: 1	<input type="checkbox"/> dersam g.au. Postings: 1	<input type="checkbox"/> dersch jm.au. Postings: 2
<input type="checkbox"/> derryberry d.au. Postings: 23	<input type="checkbox"/> dersam md.au. Postings: 1	<input type="checkbox"/> dersch k.au. Postings: 8

Ovid MEDLINE®: Author Search

The screenshot displays the Ovid MEDLINE interface. At the top, the Ovid logo is on the left, and the Wolters Kluwer logo is on the right. A navigation bar contains links for My Account, Admin Tools, JBI Admin, My PayPerView, Ask A Librarian, Support & Training, Help, Feedback, and Logoff. Below this is a blue navigation bar with tabs for Search, Journals, Books, Multimedia, My Workspace, Links, OvidMD, and EBP Tools. The main content area shows a 'Search History (1)' section with a 'View Saved' link. A table lists search history items:

<input type="checkbox"/>	# ▲	Searches	Results	Type	Actions	Annotations
<input type="checkbox"/>	1	(derry s or derry sv).au.	248	Advanced	Display Results More ▼	

Below the table, there are 'Combine with:' options and buttons for 'Save All', 'Edit', 'Create RSS', and 'View Saved'.

Ovid MEDLINE®: Changing Ovid® Resources

The screenshot displays the Ovid MEDLINE search interface. On the left, the 'Basic Search' section shows '1 Resource selected | Hide Change' with 'Ovid MEDLINE(R) ALL 1946 to August 17, 2018' selected. Below this, the 'Limits' section is expanded, showing various search filters like 'Abstracts', 'Evidence Based Medicine Reviews', and 'Review Articles'. A red dashed arrow points from the 'Change' link to the 'Select Resource(s) to search:' dialog box on the right.

The dialog box, titled 'Select Resource(s) to search:', contains a list of search resources with checkboxes. The 'All Resources' section is expanded, showing options such as 'All Journals@Ovid with Abstracts', 'My Institute's Journals@Ovid in Full Text', and various EBM Reviews. The 'Ovid MEDLINE(R) ALL 1946 to August 17, 2018' option is selected. At the bottom of the dialog, the 'OK' button is highlighted with a red dashed border, and the 'Run Search' button is also visible.

Training & User Support

Ovid®

My Account Admin Tools JBI Admin My PayPerView Ask A Librarian **Support & Training** Feedback Logoff

Wolters Kluwer

Search Journals Books Multimedia My Workspace Links OvidMD EBP Tools

Search History (1) View Saved

Wolters Kluwer

Inicio Video Documentazione Contatti

Tutto il supporto di Ovid nella tua lingua

Centro Risorse Ovid in Italiano

Video di Formazione Documentazione di supporto Contattaci

Le opzioni di formazione e aiuto possono rendere l'uso dei prodotti Ovid più semplice ed efficiente.

Trova domande frequenti, guide di riferimento rapido, schede prodotto e altro ancora?

Per domande o domande più difficili, consulta la nostra Knowledge Community o semplicemente inviaci un'email direttamente.

Wolters Kluwer

Ovid Support and Training Center

OvidDiscovery OvidMD Nursing@Ovid OvidLinkSolver

Home Training Questions & Answers Contact Support & Services Info

Welcome to the Ovid Support & Training Center

If you have any question on how to use or administer Ovid, Ovid offers the support and training resources available to help answer your questions. We've provided some basic support information here, and please contact our support team if you have any questions or need additional information.

User Questions

What is my Ovid User ID and password?
How do I create alerts and personal accounts?
How can I export my results to EndNote?
Where can I find the latest Ovid filters for EndNote?
Where can I get training about searching strategies and the Ovid Platform and get training materials?

Admin Questions

Can I configure or reduce my Database Selection Menu?
Where can I find Jumpstart Information?
a. Books@Ovid Jumpstarts?
b. Journals@Ovid Jumpstarts?
c. Athens Journals@Ovid Jumpstarts?
d. Ovid Database Jumpstarts?
How do I setup links specifically to SFX?
How can I configure my firewall / proxy to work with Ovid?
Where can I find system information for optimizing performance and access?

Key Resources:

- Webcasts, Infographics & Case Studies
- Librarian Toolkit
- Support & Training

Helpful Links:

- Customization Services
- Search the Knowledge Community
- Register For Training
- Visit the JBI Resource Center
- How are we doing?
- Ovid Expert Searches -new!
- Multilingual Ovid Documentation Resource
- PICO Resource Center
- Ovid YouTube Channel
- Follow us on Twitter!
- Local Language Resource Centers
- Our Local Language Resource Centers provide documents, videos, and useful information in a wealth of languages
 - Arabic
 - Chinese
 - Finnish
 - French**
 - Italian**
 - Japanese
 - Norwegian
 - Portuguese
 - Spanish
 - Turkish



Grazie!

Per chiarimenti e ulteriori
informazioni potete contattarci

enrico.pardini@wolterskluwer.com
mark.brega@wolterskluwer.com



Wolters Kluwer